

Flutter, Sanding Stars & Fladder Discs/Wheels



Flutter discs or Sanding stars are made up by combining a number of slashed strips in various ways.

Made from J-Weight or X-weight abrasive cloth offering a range of stiffness, depending on the application. Commonly used on woods for the sanding of profiles or to polish metal welds in tight hard-to-reach corners.

These discs can be used on both handheld and automated machines such as molders and profile sanders.



Safety



Flutter discs or Sanding stars perform best between 10-20m/s, this giving the optimum balance between stock removal, surface finish, cutting temperature and wheel life.

NB! Excess speed is dangerous and may result in disc disintegration, grain shedding and overheating.

NEVER USE FLAP FLUTTER DISCS OR SANDING STARS AT SPEEDS IN EXCESS OF 30m/s.

Do not use wet or in any coolant or oil.

Use in accordance to ANSI B7.1.



Standard Sizes Available

Dia	Bore
115mm	10mm
200mm	31.75mm
250mm	76mm
250mm	31.75mm
300mm	105mm



Flutter Disc Mandrels

Mandrels are available for the 115x10 to be used in a hand tool

Standard Grit Sizes

	J-Weight Alo.	X-Weight Alo.	X-Weight Zir.	Y-Weight Zir.
P60	•	•	•	•
P80	•	•	•	•
P120	•	•	•	•
P150	•	•		
P180	•	•		
P240	•	•		
P320	•	•		
P400	•	•		
P600		•		